PALM Intranet

Application Number [＿＿＿＿＿＿＿＿＿＿] [Submit]

IDS Flag Clearance for Application 09623519

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
WIDS	2006-11-02	36	Y ☑	2007-12-16 15:48:48.0	TLau
WIDS	2002-05-03	17	Y ☑	2007-05-09 00:00:00.0	CR #232884
Update					

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"4678404" and material	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/16 15:14
L2	1	(identif$4 or measur$4)with fluid with machin$4 with (vary or varie$2) with flow with rate .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/16 15:34
S1	10	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))with fluid with machin$4 with (flow with rate$5 with characteri$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:57
S2	2	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))with fluid with machin$4 with (flow with rate$5 with head with characteri$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/16 11:17
S3	2	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))with fluid with machin$4 same (flow with rate$5 with head with characteri$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/16 11:23
S4	3	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))with fluid with machin$4 and (flow with rate$5 with head with characteri$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/16 11:27
S5	110	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))and (flow with rate$5 with head with characteri$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/16 15:00
S6	0	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))and (flow with rate$5 with head with characteri$4) and frequenc$4 with conveter$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/16 15:02

EAST Search History

S7	0	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))and (flow with rate$5 with head with characteri$4) and frequenc$4 same conveter$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/16 15:03
S23	197	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))with fluid with machin$4 with (flow with rate$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 11:58
S24	1	(measur$4 or diagnos$5 or identif$5 or (reduc$4 with power))with fluid with machin$4 with (flow with rate$5) and model with number	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:00
S25	1	(measur$4 or diagnos$5 or identif$5) with fluid with machin$4 with (flow with rate$5) and model with (number or name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:06
S26	175	(identif$4 or measur$4)with fluid with machin$4 with flow with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:07
S27	10	(identif$4 or measur$4)with fluid with machin$4 with (vary or varie$2) with flow with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/16 15:33
S28	0	(identif$4 or measur$4)with fluid with machin$4 with (vary or varie$2) with flow with rate and model with number	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:09

EAST Search History

S29	0	(identif$4 or measur$4)with fluid with machin$4 with (vary or varie$2) with flow with rate and (model with number or diameter with suction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:12
S30	0	model with name and dispaly$4 with flow with rate with pressure with fluid and curve	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:13
S31	55	display$4 with flow with rate with pressure and (chang$4 or var$3) with rotation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:15
S32	15	display$4 with flow with rate with pressure and (chang$4 or var$3) with (fix$3 or constant$3) with rotation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:22
S33	1	reduc$4 with energy with usage and diagnos$4 with flow with rate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:43
S37	0	flow with rate with pressure with power with data same motor with AC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:47
S38	2891	702/183	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:51

S39	14	"4518318"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 19:40
S40	2	"4518318".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:54
S41	17	"4678404"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:55
S42	2	"4678404".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 12:55
S43	2	"4518318".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 19:40
S44	3	"4678404" and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/16 15:14
S45	7	"4467258"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 15:31